

small diameter CUT-OFF WHEELS

TYPE 1

CER36T MAX FORCE+

	PART#	MAX RPM	DIMENSIONS	QTY
CONTAMINANT-FREE CARBON STEEL & STAINLESS STEEL	45301	25,450	3 x .045 x 1/4	50
	45303	25,450	3 x .045 x 3/8	50
	45401	19,000	4 x .045 x 1/4	50
	45403	19,000	4 x .045 x 3/8	50

SGA60T MAX FORCE

	PART#	MAX RPM	DIMENSIONS	QTY
CONTAMINANT-FREE STAINLESS & HIGH TENSILE ALLOYS	43303	25,450	3 x .035 x 3/8	50
	43403	19,000	4 x .035 x 3/8	50

SGA46T MAX FORCE

	PART#	MAX RPM	DIMENSIONS	QTY
CONTAMINANT-FREE STAINLESS & HIGH TENSILE ALLOYS	43313	25,450	3 x 1/16 x 3/8	50
	43413	19,000	4 x 1/16 x 3/8	50

ZA60T HIGH ENERGY

	PART#	MAX RPM	DIMENSIONS	QTY
STAINLESS STEEL & HIGH TENSILE ALLOYS	93303	25,450	3 x 1/32 x 3/8	50
	93301	25,450	3 x 1/32 x 1/4	50
	93403	19,000	4 x 1/32 x 3/8	50

ZA46T HIGH ENERGY

	PART#	MAX RPM	DIMENSIONS	QTY
STAINLESS STEEL & HIGH TENSILE ALLOYS	93313	25,450	3 x 1/16 x 3/8	50
	93311	25,450	3 x 1/16 x 1/4	50
	93413	19,000	4 x 1/16 x 3/8	50

TA60T LIGHTNING

	PART#	MAX RPM	DIMENSIONS	QTY
FERROUS METALS (WELDS, STEEL AND IRON)	53203	38,200	2 x .035 x 3/8	50
	53303	25,450	3 x .035 x 3/8	50
	53301	25,450	3 x .035 x 1/4	50
	53403	19,000	4 x .035 x 3/8	50

TA36T LIGHTNING

	PART#	MAX RPM	DIMENSIONS	QTY
FERROUS METALS 1/8, 3/16, 1/4, 3/8 and 1/2 USED FOR WELD GRINDING, SURFACE PREPARATION (WELDS, STEEL AND IRON) - NON FERROUS (COPPER)	53233	38,200	2 x 1/8 x 3/8	50
	61263	30,550	2 x 1/4 x 3/8	25
	61283	27,120	2 x 3/8 x 3/8	25
	61293	27,120	2 x 1/2 x 3/8	25
	55233	30,500	2 1/2 x 1/8 x 3/8	50
	65263	24,430	2 1/2 x 1/4 x 3/8	25
	65293	21,680	2 1/2 x 1/2 x 3/8	25
	53323	25,450	3 x 3/32 x 3/8	50
	53333	25,450	3 x 1/8 x 3/8	50
	53353	25,450	3 x 3/16 x 3/8	50
	61363	20,370	3 x 1/4 x 3/8	25
	61383	20,370	3 x 3/8 x 3/8	25
	61393	20,370	3 x 1/2 x 3/8	25
	53433	19,000	4 x 1/8 x 3/8	50
	61463	13,560	4 x 1/4 x 3/8	25
	61483	13,560	4 x 3/8 x 3/8	25

TA46T LIGHTNING

	PART#	MAX RPM	DIMENSIONS	QTY
FERROUS METALS (WELDS, STEEL AND IRON)	53213	38,200	2 x 1/16 x 3/8	50
	55213	30,500	2 1/2 x 1/16 x 3/8	50
	56213	25,450	2 7/8 x 1/16 x 3/8	50
	53313	25,450	3 x 1/16 x 3/8	50
	53311	25,450	3 x 1/16 x 1/4	50
	53312	25,450	3 x 1/16 x 1/2	50
	53413	19,000	4 x 1/16 x 3/8	50

BULLARD ABRASIVES®

surfaces be warned...

MAX FORCE+

MAX FORCE+ Type 1 ceramic cutting small diameter wheels are top performers. These wheels offer state-of-the-art ceramic grain for premium cooler cutting with sharper, faster cuts, as well as self-sharpening strength and durability on every rotation. These wheels are excellent for extra sharp power for cutting through sheet metals, stainless steel tubing, pipes and rusted bolts to name a few. Premium value on carbon steel and stainless steel leads us to boast precision performance with high efficiency!

MAX FORCE

MAX FORCE thin cut off wheels turn your grinder into a turbocharged cutting machine. Zirconia - Contaminant-free - these are the fastest cutting and longest lasting wheels we have ever designed - they tackle every type and cross-section of material with impressive results.

HIGH ENERGY

HIGH ENERGY thin cut-off wheels blend performance with extended wheel life. They are a slightly thicker version of their smaller siblings the Lightning wheels, yet still maintain the rapid cutting action characteristics of the thinner wheels.

LIGHTNING

LIGHTNING are the thinner version of the High Energy formulation. All the same great performance with slightly faster cutting speed and smaller cut-line in the material being worked on. Due to their thinner profile, Lightning wheels are a bit more flexible for getting into tight areas.

